

Rec'd PCT/PTO 18 JAN 2005



PCT/GB 2003 / 0 0 3 4 7 5

10/500959



INVESTOR IN PEOPLE

BEST AVAILABLE COPY

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 08 SEP 2003


WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed

[Signature]

Dated

28 August 2003



15AUG02 E741283-3 000192
P01/7700 0.00-0218990.0

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form))

The Patent Office

Cardiff Road
Newport
Gwent NP10 8QQ

1. Your reference

N.86258 - MA

2. Patent application number

0218990.0

(The Patent Office will fill in this part)

3. Full name, address and postcode of the or of each applicant (underline all surnames)

MessageLabs Limited
1270 Landsdowne Court
Gloucester Business Park
GLOUCESTER GL3 4AB

Patents ADP number (if you know it)

7936305002

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

4. Title of the invention

METHOD OF, AND SYSTEM FOR SCANNING
ELECTRONIC DOCUMENTS WHICH CONTAIN
LINKS TO EXTERNAL OBJECTS

5. Name of your agent (if you have one)

J A KEMP & CO

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

14 SOUTH SQUARE
GRAY'S INN
LONDON WC1R 5JJ

Patents ADP number (if you know it)

26001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request?

YES

(Answer "Yes" if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body:

See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

7

Claim(s)

3

Abstract

1

Drawing(s)

2 only

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

1

Request for preliminary examination and search (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

-

11. I/We request the grant of a patent on the basis of this application

Signature *J A K...* Date 14 AUGUST 2002

12. Name and daytime telephone number of person to contact in the United Kingdom
- M L S AYERS
020 7405 3292

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.

b) Write your answers in capital letters using black ink or you may type them.

c) If there is not enough space for all the relevant details on any part of this form, please continue of a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

d) If you have answered "Yes" Patents Form 7/77 will need to be filed.

e) Once you have filled in the form you must remember to sign and date it.

f) For details of the fee and ways to pay please contact the Patent Office.

METHOD OF, AND SYSTEM FOR, SCANNING ELECTRONIC DOCUMENTS WHICH CONTAIN LINKS TO EXTERNAL OBJECTS

Introduction

5 The present invention relates to a method of, and system for, replacing external links in electronic documents such as email with internal links. One use of this is to ensure that email that attempts to bypass email content scanners no longer succeeds. Another use is to reduce the effectiveness of web bugs.

10 Background

 Content scanning can be carried out at a number of places in the passage of electronic documents from one system to another. Taking email as an example, it may be carried out by software operated by the user, e.g. incorporated in or an adjunct to, his email client, and it may be carried out on a mail server to which the user connects, over a LAN or
15 WAN, in order to retrieve email. Also, Internet Service Providers (ISPs) can carry out content scanning as a value-added service on behalf of customers who, for example, then retrieve their content-scanned email via a POP3 account or similar.

 One trick which can be used to bypass email content scanners is to create an email which just contains a link (such as an HTML hyperlink) to the undesirable or "nasty"
20 content. Such content may include viruses and other varieties of malware as well potentially offensive material such as pornographic images and text, spam and other material to which the email recipient may not wish to be subjected. The content scanner sees only the link, which is not suspicious, and the email is let through. However, when viewed in the email client, the object referred to may either be bought in automatically by the email client, or
25 when the reader clicks on the link. Thus, the nasty object ends up on the user's desktop, without ever passing through the email content scanner.

It is possible for the content scanner to download the object by following the link itself. It can then scan the object. However, this method is not foolproof – for instance, the server delivering the object to the content scanner may be able to detect that the request is from a content scanner and not from the end user. It may then serve up a different, innocent
5 object to be scanned. However, when the end-user requests the object, they get the nasty one.

Summary of the Invention

The present invention seeks to reduce or eliminate the problems of embedded links in electronic documents and does so by having the content scanner attempt to follow a
10 link found in an electronic document and scan the object which is the target of the link. If the object is found to be acceptable from the point of view of content-scanning criteria, it is retrieved by the scanner and embedded in the electronic document and the link in the electronic document is adjusted to point at the embedded object rather than the original; this can then be delivered to the recipient without the possibility that the version received by the
15 recipient differs from the one originally scanned.

If the object is not found to be acceptable, one or more remedial actions may be taken: for example, the link may be replaced by a non-functional link and/or a notice that the original link has been removed and why; another possibility is that the electronic document can be quarantined and an email or alert generated and sent to the intended recipient advising
20 him that this has been done and perhaps including a link via which he can retrieve it nevertheless or delete it. The process of following links, scanning the linked object and replacing it or not with an embedded copy and an adjusted link may be applied recursively. An upper limit may be placed on the number of recursion levels, to stop the system getting stuck in an infinite loop (e.g. because there are circular links) and to effectively limit the
25 amount of time the processing will take.

Thus according to the present invention there is provided a content scanning system for electronic documents such as emails comprising:

- a) a link analyser for identifying hyperlinks in document content;
- b) means for causing a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify the document by
 - b1. embedding in it or attaching to it the retrieved copy of the object; and
 - b2. replacing the link to the external object by one to the copy embedded in, or attached to, the document.

The invention also provides a method of content-scanning electronic documents such as emails comprising:

- a) using a link analyser for identifying hyperlinks in document content;
- b) using a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify the document by
 - b1. embedding in it or attaching to it the retrieved copy of the object; and
 - b2. replacing the link to the external object by one to the copy embedded in, or attached to, the document.

Thus the content scanner can follow the link, and download and scan the object. If the object is judged satisfactory, the object can then be embedded in the email, and the link to the external object replaced by a link to the object now embedded in the email.

One trick used by spammers is to embody 'web bugs' in their spam emails.

These are unique or semi-unique links to web sites – so a spammer sending out 1000 emails would use 1000 different links. When the email is read, a connection is made to the web site, and by finding which link has been hit, the spammer can match it with their records to tell

5 which person has read the spam email. This then confirms that the email address is a genuine one. The spammer can continue to send email to that address, or perhaps even sell the address on to other spammers.

By following every external link in every email that passes through the content scanner, all the web bugs the spammer sends out will be activated. Their effectiveness
10 therefore becomes much reduced, because they can no longer be used to tell which email addresses were valid or not.

The invention will be further described by way of non-limiting example with reference to the accompanying drawings, in which:-

Figure 1 shows the "before" and "after" states of an email processed by an
15 embodiment of the present invention; and

Figure 2 shows a system embodying the present invention.

Figure 1a shows an email 1 which comprises a header region 2 and a body 3 formatted according to an internet (e.g. SMTP/MIME) format. The body 3 includes a hypertext link 4 which points to an object 5 on a web server 6 somewhere on the internet.
20 The object 5 may for example be a graphical image embedded in a web page (e.g. HTML or XHTML);

Figure 1b shows the email 1 after processing by the illustrated embodiment of the invention and it will be seen that the object 5 has been appended to the email (e.g. as a MIME attachment) as item 5' and the link 4 has been adjusted so that it now points to this
25 version of the object rather than the one held on the external server 6; and

Figure 2 is an illustration of a system 10, according to the present invention which may be implemented as a software automaton. Although the invention is not limited to this application, this example embodiment is given in terms of a content scanner operated by an ISP to process an email stream e.g. passing through an email gateway.

5

Operation of Embodiment

1) The email is analysed by analyser 20 to determine whether it contains external links. If none are found, omit steps 2 to 5.

2) For each external link, the external object is obtained by object fetcher 10 30 from the internet. If the object cannot be obtained, go to step 7.

3) The external objects are scanned by analyser 40 for pornography, viruses, spam and other undesirables. If any are found, go to step 7.

4) The external objects are analysed to see whether they contain external links. If the nesting limit has been reached, go to step 7. Otherwise go to step 2 for each 15 external link.

5) The email is now rebuilt by email rebuilder 50. In the case of MIME email, the external links are replaced with internal links, and the objects obtained are added to the email as MIME sections. Non-MIME email is first converted to MIME email, and the process then continues as before.

20 6) The email is sent on, and processing stops in respect of that email.

7) An undesirable object has been found, or the object could not be retrieved, or the nesting limit has been reached. We may wish to block the email (processing stops), or to remove the links. We may also want to send warning messages to sender and recipient if the email has been blocked. Meanwhile the email may be held in quarantine as 25 indicated at 60, which may be implemented as a reserved file directory.

Example

The following email contains a link to a website.

```
Subject: email with link
Subject:
Date: Thu, 9 May 2002 16:17:01 +0600
MIME-Version: 1.0
Content-Type: text/html;
Content-Transfer-Encoding: 7bit
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
This is some text<BR>
<DIV><IMAGE src="http://www.messagelabs.com/images/global/nav/box-images/virus-eye-
light.gif" >
</DIV>
This is some more text<BR>
</BODY></HTML>
```

The binary content of <http://www.messagelabs.com/images/global/nav/box-images/virus-eye-light.gif> is as follows:

00000000	47 49 46 38 39 61 17 00 17 00 C4 00 00 80 80 80	GIF89a....Ä..ëëë
00000010	64 56 04 00 00 00 52 52 53 C8 AB 04 FD FD FD FF	-dV....RRSÈ«.ýýýý
00000020	D8 00 AA 90 04 FF CE 00 0B 21 57 34 2B 03 C6 C6	Ø.°□.ýí...!W4+.EE
00000030	C7 B0 AE AB 89 76 05 16 15 17 18 14 02 26 27 2C	C°@«kv.....&',
00000040	C6 B1 4C BD BE C3 EF CB 03 24 1D 02 03 0B 1E 00	E+L»ÄiE.\$.....
00000050	2A 84 47 3C 03 0C 0A 05 93 8D 72 A1 9F 97 E2 E1	*„G<...."Or;Ÿ-ää
00000060	E1 DB E1 F6 D8 BA 03 FF ED 01 E4 BE 1E 21 F9 04	äÜäøø°.ýi.ä%.!ù.
00000070	00 00 00 00 00 2C 00 00 00 00 17 00 17 00 00 05
00000080	F6 20 20 8E 64 69 8E 48 AA AE EA 64 20 EF 8B 88	ö ždižH°@ed i<^
00000090	EC FA 12 4D 73 74 04 FF D2 35 C3 A4 73 08 3C 14	iú.Mst.y05Äns.<.
000000A0	8A 62 AE 07 5C 0D 3B 48 8C 40 F0 B8 20 1B 81 43	Šb@.\.;Hœøð. .□C
000000B0	33 65 20 5C 1A D3 B0 98 72 09 88 0C E8 57 E7 22	3e \.Ó°~r.~.èwç"
000000C0	6E 87 A5 A2 03 D6 FA 70 DB A7 22 E9 5D E0 D0 B7	n†¥ç.ÖúpŸ\$"é]àð.
000000D0	1F 71 0F 01 14 6F 03 19 0B 1A 0E 53 7A 49 1D 22	.q...o.....SzI."
000000E0	01 01 60 7C 00 12 05 05 12 03 03 02 09 03 00 18	..`
000000F0	14 01 04 8F 1D 75 10 0B 96 96 03 10 9A 16 09 1B	...□.u.--..š...
00000100	9A 02 17 22 13 60 18 A7 A8 05 B0 15 AD 0C 10 53	š..".`.\$".°.-..S
00000110	80 00 13 84 03 B8 96 0C 0E 09 16 16 15 0E 82 65	e.....-.....e
00000120	71 53 19 C5 96 0B 03 15 BF 07 1E 43 22 6C 02 0C	qS.Ä-...¿..C"l..
00000130	B8 1B 12 19 AA 02 18 01 1D 32 06 22 C3 0B 00 99°.....2."Ä..m
00000140	10 7D 9F 65 04 68 2B 71 C4 19 90 90 3A 04 2E F5	.)Ÿe.h+qÄ.□□:..ö
00000150	2C 67 22 70 88 90 A6 60 0D 7B 00 10 7C D8 10 E1	,g"p~□ `.{.. Ø.á
00000160	A0 C3 14 34 3E 14 D0 80 EE 61 8D 88 97 02 C8 B0	Ä.4>.ðeia□~-.È°
00000170	A8 E2 84 C7 8F 21 00 00 3B	"ä„Ç□!...;

This file can be downloaded, scanned, and if acceptable, a new email can be created with the image embedded in the email:

```
Subject: email with link
Subject:
Date: Thu, 9 May 2002 16:17:01 +0600
MIME-Version: 1.0
Content-Type: multipart/related;
        boundary="ABCD";
Content-Transfer-Encoding: 7bit
```

--ABCD

Content-Type: text/html;
Content-Transfer-Encoding: 7bit

```
5  <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
    <HTML><HEAD>
    </HEAD>
    <BODY bgColor=3D#ffffff>
    <DIV>&nbsp;</DIV>
    This is some text<BR>
10  <DIV><IMAGE src=cid:EXTERNAL>
    </DIV>
    This is some more text<BR>
    </BODY></HTML>

15  --ABCD
    Content-ID: <EXTERNAL>
    Content-Type: image/gif;
        name="image001.gif"
    Content-Transfer-Encoding: base64
20  Content-Disposition: attachment;
        filename="image001.gif"

    R0lGODlhFwAXAMQAACAgGRWBAAAAFJSU8irBP39/f/YAKqQBP/OAAshVzQrA8bGx7Cuq4l2BRYV
    ,FxxUAiYnLMaxTL2+w+/LAYQdAgMLHgAqhEc8AwwKBZONcqGf1+Lh4dvh9ti6A//tAeS+HiH5BAAA
25  AAAALAAAAAAXABCAAAX2ICCOZGmOSKqu6mQg74uI7PoSTXN0BP/SNcOkcwg8FIp1rgdcDTtIjEDw
    uCABgUMzZSBcGtOwmHIJiAzoV+ciboelogPW+nDbpyLpXeDQtX9xDwEUbwMZCxoOU3pJHSIBAWB8
    ABIFBRIDAwIJAWAYFAEEjx11EAuWlgMQmhYJG5oCFyITYBinqAWwFa0MEFOAABOE7iWDA4JFhYV
    DoJlcVMZxZYLAxW/Bx5DImwCDLgbEhmqAhgBHTIGIsMLAJkQfZ9lBGgrccQZkJA6BC71LGcicIiQ
    pmANewAQfNgQ4aDDFDQ+FNCA7mGNIJcCyLCo4oTHjyEAADs=

30  --ABCD--
```

CLAIMS

1. A content scanning system for electronic documents such as emails comprising:

5 a) a link analyser for identifying hyperlinks in document content;
b) means for causing a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify
10 the document by

- b1. embedding in it or attaching to it the retrieved copy of the object; and
- b2. replacing the link to the external object by one to the copy embedded in, or attached to, the document.

15 2. A system according to claim 1 wherein the link analyser a) and means b) are operative to recursively process links identified in such external objects.

3. A system according to claim 2 in which only a maximum depth of recursion is permitted and the document is flagged as unacceptable if that limit is reached.

20 4. A system according to claim 1, 2 or 3 wherein acceptable retrieved objects are encoded into MIME format.

5. A system according to any one of the preceding claims wherein if any linked-to object is determined by the content scanner to be unacceptable the document is flagged or modified to indicate that fact.

5 6. A method of content-scanning electronic documents such as emails comprising:

a) using a link analyser for identifying hyperlinks in document content;
b) using a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means
10 being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify the document by

b1. embedding in it or attaching to it the retrieved copy of the object; and
b2. replacing the link to the external object by one to the copy embedded in,
15 or attached to, the document.

7. A method according to claim 6 wherein the steps a) and b) are used recursively to process links identified in such external objects.

20 8. A method according to claim 7 in which only a maximum depth of recursion is permitted and the document is flagged as unacceptable if that limit is reached.

9. A system according to claim 6, 7 or 8 wherein acceptable retrieved objects are encoded into MIME format.

10. A method according to any one of claim 6 to 9, wherein if any linked-to object is determined by the content scanner to be unacceptable the document is flagged or modified to indicate that fact.


5 11. A content scanning system for electronic documents substantially as hereinbefore described and with reference to the accompanying drawings.

12. A method of content-scanning electronic documents substantially as hereinbefore described and with reference to the accompanying drawings.

ABSTRACT

A content scanner for electronic documents such as email scans objects which are the target of hyperlinks within the document. If they are determined to be acceptable, a copy of the object is attached to the document and the link is replaced by one pointing to the
5 copied object.

Fig.1a



After




Fig.1b




Fig.2

28 AUG 2003
Received in Patents
International Unit

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.